

BOOK
2014



GIASCO 
ITALY

SAFETY SHOES



**ALL IN
PROMPT
DELIVERY**



Made
in Italy



DNV BUSINESS ASSURANCE MANAGEMENT SYSTEM CERTIFICATE

Certificato No. / Certificate No. **CERT-B387-86-AQ-FEN-SINCERT**

Si ottiene che / This is to certify that

GIASCO S.r.l.

Via Zappalà, 50 - 36072 Chiampo (VI) - Italy

è conforme ai requisiti della norma per i sistemi di gestione /
has been found to conform to the management system standard:

UNI EN ISO 9001:2008 (ISO 9001:2008)

Questa Certificazione è valida per i seguenti campi applicativi:
This Certificate is valid for the following product / or service ranges:

Produzione di calzature anteforturistiche e vendita di indumenti protettivi
(Settore E4 : 95 - 29a - 04)

Manufacture of safety footwear and sale of protective clothing
(Sector E4 : 95 - 29a - 04)

Data Prima Dichiarazione Conformità Data:
1998-09-07

Il Certificato è stato rinnovato il:
The Certificate is valid until:
2015-11-04

È stato effettuato un audit di sorveglianza il:
The audit has been performed under the supervision of:
Marco Scarpia Falce
Lead Auditor




Luogo e Data Place and Date:
Agrate Brianza (MB), 2012-10-02

Per l'Organismo di Certificazione:
For the Issuing Body:

Zeno Beltrami
Manager Representative

La validità del presente Certificato è subordinata al rispetto delle condizioni contenute nel Certificato e nell'Annuncio di Pubblicazione. L'Ente di Certificazione si riserva il diritto di effettuare verifiche di sorveglianza. Per informazioni rivolgersi all'Ente di Certificazione.

The validity of this certificate is conditional on compliance with the conditions contained in the Certificate and the Announcement. The Issuing Body reserves the right to carry out surveillance audits. For information contact the Issuing Body.



SRC
ANTI-SLIPPING SOLE

*extra
LIGHT
shoes*

**ANTI
ABRASION
MATERIAL**



BENDING POINT

ANTI-SLIPPING HEEL

ANTISHOCK



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



CLASS 3

LIBRA S3
39-47

UP048E



CLASS 3

PISCES S1P
39-47

UP123T



CLASS 3

TAURUS S1P
39-47

UP123E



CLASS 3

YELLOW S1P
39-47

UP123Y



CLASS 3

ORANGE S1P
39-47

UP123W



CLASS 3

SCORPIO S3
39-47

UP123K



CLASS 3

ARIES S3
39-47

UP025H



CLASS 3

ACQUARIUS S1P
39-47

UP121E



CLASS 3

LEO S1P
39-47

UP071E



CLASS 3

VIRGO S1P
39-47

UP071EV



CLASS 3

CAPRICORN S1P
39-47

UP071C



CLASS 3

GEMINI S1P
39-47

UP071R



MISS *Bloom*

200J
No Metal
LADY

No Metal

M
Mondo point 9

A

E

FO

SRC
ANTI-SLIPPING SOLE

*extra
LIGHT
shoes*



h 30 mm



ANTI-SHOCK


ANTI-SHOCK HEEL



ANTI-SLIPPING HEEL

ANTISTATIC PU/PU
DOUBLE DENSITY SOLE

MISS Bloom

MICROWASH 



CLASS 3

LILY S3
36-41

BL1020



CLASS 3

LAVENDER S1P
36-41

BL102TF



MICROWASH 



CLASS 3

ROSE S3
36-41

BL105H



CLASS 3

HEATHER S3
36-41

BL103H



CLASS 3

DAISY S2
36-41

BL101I

MICROWASH 



CLASS 3

VIOLET S3
36-41

BL1000



CLASS 3

DAHLIA S1P
36-41

BL105K





CLASS 3

IRIS S3
36-41

BL106K



200J 
No Metal

XL 
Mondo point 11



A


E


FO

SRC
ANTI-SLIPPING SOLE

*extra
LIGHT
shoes*



Wellness



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



LEEDS S3
36-47

73D61C

NO METAL

ERGO SAFE



VERVE S1P 71V75C
39-47



SPIRIT S3 73Q25C
36-47



SQUASH S1P 71H75C
39-47



FASHION S3 73R37C
39-47



HAITI S1P 71N93C
36-47



LIMA S1P 71T95C
36-47



FLASH S1P 71D94C
36-47



AIR S1P 71O94C
39-47



BERGEN S2 72I02
36-47



SANTA FE S1P 71T83C
36-47




SPORT S3 73N25C
36-47



GYM S3 73N37C
36-47




24 HOURS



SRC
ANTI-SLIPPING SOLE

COMFORT
PLANT XXL



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



CLASS 3

DUBLIN S1P
39-48

31H34C



CLASS 3

ODENSE S1P
39-48

31L35C



CLASS 3

STOCCOLMA S1P
39-48

31T21C



CLASS 3

BADEN S3
39-48

33N42C



CLASS 3

ASIAGO S3
39-48

33T32C



CLASS 3

CORVARA S3
39-48

33T39C



CLASS 3

SYDNEY S3
39-48

33L74C



CLASS 3



CANBERRA S3 WR
39-48

33L77C



CLASS 3



MEMBRANE



CI - 17°C

BREDA S3 CI
39-48

33N32C



CLASS 3



MEMBRANE



CI - 17°C



WR

OHIO S3 CI WR
39-48

33N39C



CLASS 3



MEMBRANE



CI - 17°C




WR

OREGON S3 CI WR
39-48

33L98C



URBAN



*extra
LIGHT
shoes*



SRC
ANTI-SLIPPING SOLE

PERFECT GRIP



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE

NO
METAL

URBAN



JET S1P 91Q94C
39-47



SPEEDY S1P 91D94C
39-47



KAYAK S3 93T25C
39-47



SOFTBALL S3 93T37C
39-47



MIAMI S1P 91N93C
36-47



BERN S3 93N91C
39-47



EIRE S1P 91T01C
39-47



HOCKEY S3 93T26C
39-47



BASEBALL S1P 91H75C
39-47



NORDIC S3 93N43C
39-47



BASKET S3 93N37C
36-47



RUGBY S3 93N25C
36-47



OHM S3 93Q25C
36-47




PERÙ S1P 91T95C
35-47



PANAMA S1P 91T83C
35-49



PONZA S1P 91V41C
39-47



FARRIER S3 CI 93L17C
39-47



OXFORD S3R 93D68CR5
39-47



YORK S3 93D61C
35-49




OXFORD S3 93D68C
35-49




20347 PROFESSIONAL



TRUCKER SB FO A E 90H06
36-47



POSTMAN O2 FO CI 902L83
39-47



DYNAMIC O2 FO CI 902L40
39-47

MICROWASH 



ISLAND S2 92102
35-49

MICROWASH 



MEDINA S2 92D02
35-47

MICROWASH 



STOCKHOLM S2 92125
39-47

MICROWASH 



VILNIUS S3 93025C
36-47

MICROWASH 



BALTIC S2 92120
37-47

MICROWASH 



TALLINN SB FO A E 90107F
36-47

MICROWASH 



HELSINKY SB FO A E 90107
36-47

MICROWASH 



FREE SB FO A E 90D07
36-47

MICROWASH 



ICEBERG S2 CI 92111
37-47

MICROWASH  TEXTILE



GOOD RESISTANCE TO OLEIC ACID




URBAN

MICROWASH 





PERFECT GRIP



SRC
ANTI-SLIPPING SOLE



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



SALVADOR S3 AC003D
39-47




CUBA S3 AC049D
39-47



BELIZE S3 AC003N
39-47




HONDURAS S3 AC049N
39-47




DALLAS S3 CI WR AC053N
39-47



DENVER S3 CI WR AC057N
39-47



STELVIO S3 CI WR AC053L
39-47



VALTELLINA S3 CI WR AC057L
39-47



TIGRE S1P AC055Q
39-47



TIBET S1P AC072H
39-47



GARDENA S3 CI AC003M
39-47



CORTINA S3 CI AC049M
39-47



MOZART S2
AC810B
36-47

MOZART S3
AC810BP
36-47
METAL



VERDI S2
AC880B
36-47

VERDI S3
AC880BP
36-47
METAL



VERDI S3 R
39-47

AC880BRP
METAL



SOLDADOR S3
39-47

AC880BSP
METAL



IRON RM S3
39-47



AC068DRM
NO METAL



ALASKA S3 CI WR AC084B
39-47



SAHARA S1
AC082T
36-47

SAHARA S1P
AC082TP
36-47
METAL



AGADIR S1P
39-47

AC083V
NO METAL



NO METAL

TECNICAL

PU / RUBBER INSULATING SOLE

C.S.A. Z195 P. 4.4

TECNICAL INSULATING line exceeds requirements fixed from the Canadian norm CSA for electrical resistance. Determination of Electric Shock Resistance to a potential of **18000 V, 60 HZ, FOR A PERIOD OF 1 MIN**

DIELECTRIC SOLE from >1000 MΩ



500V sole

200J		XL	
No Metal		Mondo point 11	

HRO 300°C	E	WRU	SRC	P



FRANKLIN SB FO E P WRU HRO
20T22C 39-47



VOLT SB FO E P HRO
20H55C 39-47



EDISON SB FO E P WRU HRO
20D60C 39-47



AMPERE SB FO E P WRU HRO
20T37C 39-47





HRO 300°C SOLE



-35°C SOLE



HEAT INSULATION HI



FOR MECHANICAL WORKERS



SRC

ANTI-SLIPPING SOLE

PERFECT GRIP



ANTISTATIC PU
RUBBER SOLE



GENK S3 CI HI WR HRO
23L51C 39-47




ERCOLANO S3 HRO
23D66C 39-47



ENDURANCE RM S3 HRO
23D68CR55M 39-47




POMPEI S3 CI HRO
23N78C 39-47



BONN S3 CI HI WR HRO
23L54C 39-47



GERA S3 CI HI WR HRO
23L59C 39-47



THERA S3 CI HRO
23N24C 39-47



SANTORINI S3 CI WR HRO
23N29C 39-47



KIEL S3 CI HI WR HRO
23L58C 39-47



ALPI S3 CI HI WR HRO
23G58C 39-47



SAFE S3 CI HI HRO
23L19C 39-47



MONTANA S3 CI HRO 23L96C
39-47

WINTER S3 CI WR HRO SRC 23L11C
39-47



GRIP S3 CI HI WR HRO 23L99C
39-47



CLASSE 2
24 m/s



WOODCUT S3 CI HI WR AN
HRO SRC 53L97C 39-47



KENT S3
39-47

43D61C



CAMBRIDGE S3
39-47

43D68C



ULM S3 CI
39-47

43M14C



RIGA S3 CI
39-47

43M28C



TITAN S3 SRC
39-47

43G11C




ONTARIO S3 CI
39-47

43B11C




ORIGINAL



MISTRAL S3 CI
39-47




43T56C

ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



EASY RIDER

EASY RIDER



SRC
ANTI-SLIPPING SOLE

*extra
LIGHT
shoes*

SRC ANTI - SLIPPING SOLE

ANTI - SLIPPING HEEL

ANTI - SHOCK



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



CLASS 3

BOSTON S3
39-47

RD051L



CLASS 3



CI - 17°C

SEATTLE S3 CI
39-47

RD087L



CLASS 3



CI - 17°C

CANYON S3 CI
39-47

RD087T



CLASS 3

SAN DIEGO S3 CI
39-47

RD030G



CLASS 3



CI - 17°C

MANCHESTER S3 CI
39-47

RD078A



MEMBRANE



CI - 17°C

ORLANDO S3 CI
39-47

RD017L



CLASS 3



CI - 17°C

CHICAGO S3 CI
39-47

RD089L



CLASS 3



CI - 17°C

WASHINGTON S3 CI
39-47

RD027L



CLASS 3

SPRINGFIELD S3
39-47

RD089V



ANSAFT PB
35-46

60P05



EVA P
35-40



MARY
35-46



SARA
35-46



UNISEX C
35-46



UNISEX P
35-46



GAIA
35-46




COLOURS:

 35/36
 37/38
 39/40
 41/42
 43/44
 45/46



LUNA




COLOURS:

 35/36
 37/38
 39/40
 41/42
 43/44
 45/46



NEVE



35/36
 37/38
 39/40
 41/42
 43/44
 45/46



SOLE





METAL

MARTE GI S5
39-46



METAL

MARTE V S5
39-46



METAL

MARTE B S5
39-46



PESCI
39-47



GIOVE P S4
39-46



GA509-10
Borstone Giasco / Big Bag
cm 63x36x34



UNI EN ISO 20344
UNI EN ISO 20345



SB=						
S1=SB+E+A						
S1P=SB+E+A+P						
S2=S1+WRU						
S3=S2+P						

UNI EN ISO 20346



PB=						
-----	--	--	--	--	--	--

UNI EN ISO 20347




OB=					
O1= OB+E+A					
O2= O1+WRU					

USA STANDARD

ASTM 2413-11 IMPACT/COMPRESSION



CLASS 3



ESD = ELECTRO STATIC DISCHARGE
EN ISO 61340-5-1

Conductive	from 0 MΩ to 0,1 MΩ
ESD	from 0,1 MΩ to 100 MΩ
Antistatic	from 0,1 MΩ to 1000 MΩ
Dielectric	from >1000 MΩ





CLASS 3



ANTI SLIPPING SOLE

EN ISO 13287:2007







*extra
LIGHT
shoes*




MICROWASH **TEXTILE**



MICROWASH



MEMBRANE WINDTEX®



page 4



PERFORMANCE UP & DOWN

page 6



Bloom

page 8



ERGO SAFE

page 10



24 HOURS

page 12



URBAN

page 16



ACTION

page 19



TECNICAL PU / RUBBER INSULATING SOLE

page 20



TECNICAL ANTISTATIC PU / RUBBER SOLE

page 23



ORIGINAL

page 24



EASY RIDER

page 26



CLOGS

page 27




BOOT

page 28



ACCESSORIES





BOOK
2014