

BOOK 2016

GIASCO
ITALY





SINCE 1971



SAFETY **DESIGN** **QUALITY**

TECHNICAL RESEARCH **RELIABILITY** **INTERNATIONAL BRAND**

INTERNATIONAL SERVICE



SINCE
1971

MANUFACTURER



PRODUCTION AND CONTROL



GIASCO
ITALY



SINCE
1971

MANUFACTURER



RAW MATERIAL



GIASCO
ITALY



SINCE
1971

MANUFACTURER



GIASCO
ITALY



PROMPT DELIVERY

UNI EN ISO 20344
UNI EN ISO 20345



SB=							
S1=SB+E+A							
S1P=SB+E+A+P							
S2=S1+WRU							
S3=S2+P							

UNI EN ISO 20346



PB=			
-----	--	--	--

UNI EN ISO 20347




OB=					
O1= OB+E+A					
O2= O1+WRU					

USA STANDARD

ASTM 2413-11 IMPACT/COMPRESSION



CLASS 3



ESD = ELECTRO STATIC DISCHARGE
EN ISO 61340-5-1

Conductive	from 0 MΩ to 0,1 MΩ
ESD	from 0,1 MΩ to 100 MΩ
Antistatic	from 0,1 MΩ to 1000 MΩ
Dielectric	from >1000 MΩ




CLASS 3



ANTI SLIPPING SOLE

EN ISO 13287 : 2012



page 08

page 11

page 12

page 16

page 18

page 20

page 22

page 25

page 26

page 29

page 32

page 35

page 36

page 37

page 38

KUBE

RUBBER 4X4 ANTISTATIC PU / RUBBER SOLE

URBAN

UP & DOWN PERFORMANCE

24 HOURS

Bloom

ERGO SAFE

EASY RIDER

STABILE

ACTION


HARD ROCK ANTISTATIC PU / RUBBER SOLE


HARD ROCK INSULATING PU / RUBBER SOLE

BOOTS

CLOGS

ACCESSORIES






BEST SLIPPING RESISTANCE


SRC
ANTI-SLIPPING SOLE

extra
LIGHT
shoes






BIKE S1P
35-47



KU141T




FRESH S1P
39-47



KU124KV




CARBON S1P
39-47



KU224E




RUN S1P
39-47



KU064Q



SURF S1P
35-47



KU064D




JUDO S1P
35-47



KU0950




MIAMI S1P
35-47



KU093N



PAINT S1P
35-47



KU125K



SKATE S3
39-47



KU133C

NO METAL



YOGA S3
39-47

KU133T
 CLASS 3





POLO S2
35-47

KU002I
  CLASS 3





SKI S3
39-47

KU162T
  CLASS 3



SNOWBOARD S3
39-47

KU167T
  CLASS 3



GOLF S3
39-47

KU142E
 CLASS 3





LIBRA S3
39-47

KU048E
 CLASS 3





BOXE S3
39-47

KU065N
  CLASS 3



KARATE S3
39-47



KU069N
  CLASS 3



20347 PROFESSIONAL



CITY 01P FO
37-47

K7064T
  CLASS 3



MALMO 02 FO CI
37-47

K7025O
   CLASS 3



<p>200J No Metal</p>	<p>XL Mondo point 11</p>
<p>HRO 300°C</p>	<p>STRONG</p>
<p>CI -17°C</p>	
<p>A</p>	<p>E</p>
<p>FO</p>	

SRC PERFECT GRIP
ANTI-SLIPPING SOLE



WELDER S3 CI HRO 4X122D
39-47



CROSS S1P HRO 4X141T
39-47



RACE S1P HRO 4X001E
39-47




RALLY S3 CI HRO 4X224N
39-47



GUN S3 CI HRO 4X165N
39-47




SAFARI S3 CI WR HRO 4X169N
39-47



PERFECT GRIP

ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



SRC *extra LIGHT shoes*
ANTI-SLIPPING SOLE



NO METAL

URBAN



ENERGY S1P
39-47



UR062R



LUND S3
39-47



UR121NN



NORDIC S3
36-47



93N43C



BASEL S1P
39-47



UR062NR



BIEL S1P
39-47



UR062HV



SOLDEN S1P
39-47



UR062HA



EIRE S1P
39-47

91T01C



RUGBY S3
36-47



93N25C



BASKET S3
36-47



93N37C



PANAMA S1P 91T83C
35-49



KAYAK S3 93T25C
36-47



SOFTBALL S3 93T37C
39-47




PERÙ S1P 91T95C
35-47


CLASS 3



TRUCKER SB FO A E 90H06
36-47


HIGH VISIBILITY



FARRIER S3 CI 93L17C
39-47



YORK S3 93D61C
35-49


HIGH VISIBILITY



OXFORD S3 93D68C
35-49


HIGH VISIBILITY



OXFORD S3R 93D68CR5
39-47


HIGH VISIBILITY



ISLAND S2 92102
35-49
MICROWASH CLASS 3



STOCKHOLM S2 92125
39-47
MICROWASH CLASS 3



HELSINKY SB FO A E 90107
36-47
MICROWASH CLASS 3



MEDINA S2 92D02
35-47
MICROWASH CLASS 3



VILNIUS S3 93025C
36-47
MICROWASH CLASS 3



FREE SB FO A E 90D07
36-47
MICROWASH CLASS 3



BALTIC S2 92120
37-47
MICROWASH CLASS 3



CONSTANTA S2 UR880I
37-47
MICROWASH CLASS 3
HIGH VISIBILITY




ICEBERG S2 CI 92111
37-47
MICROWASH CLASS 3
CI - 17°C
FUR



PERFORMANCE



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



SRC extra LIGHT shoes
ANTI-SLIPPING SOLE

ANTI SCRATCH MATERIAL



ORANGE S1P
39-47

UP123W



CLASS 3



PISCES S1P
39-47

UP123T



CLASS 3



TAURUS S1P
39-47

UP123E



CLASS 3



YELLOW S1P
39-47

UP123Y



CLASS 3



ARCHER S1P
39-47

UP093NV



CLASS 3



SCORPIO S3
39-47

UP123K



CLASS 3



ARIES S3
39-47

UP025H



CLASS 3



ACQUARIUS S1P
39-47

UP121E



CLASS 3



LEO S1P
39-47

UP071E



CLASS 3



VIRGO S1P
39-47

UP071EV



CLASS 3



CAPRICORN S1P
39-47

UP071C



CLASS 3




GEMINI S1P
39-47

UP071R




CLASS 3



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE

**COMFORT
PLANT XXL**



SRC
ANTI-SLIPPING SOLE



STOCCOLMA S1P 31T321
39-48
CLASS 3



ODENSE S1P 31N35C
39-48
CLASS 3 HIGH VISIBILITY



DUBLIN S1P 31H34C
39-48
CLASS 3 HIGH VISIBILITY



SYDNEY S3 33L74C
39-48
CLASS 3 HIGH VISIBILITY



CANBERRA S3 WR 33L77C
39-48
CLASS 3 HIGH VISIBILITY WR



BADEN S3 33N42C
39-48
CLASS 3



BREDA S3 CI 33N32C
39-48
CLASS 3 MEMBRANE CI - 17°C



OHIO S3 CI WR 33N39C
39-48
CLASS 3 MEMBRANE CI - 17°C WR



GREENLAND S2 32I302
39-48
CLASS 3

MISS




Bloom



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE

h 30 mm



SRC ANTI-SLIPPING SOLE

extra LIGHT shoes

2 laces



LILY S3
36-41

BL1020



LAVENDER S1P
36-41

BL102TF



TULIP S1P
36-41

BL112T



VIOLET S3
36-41

BL1000



ROSE S3
36-41

BL105H



HEATHER S3
36-41

BL103H



DAHLIA S1P
36-41

BL105K



IRIS S3
36-41

BL106K



DAISY S2
36-41

BL1011






TILTED TOE TO IMPROVE THE WALKING

ANTI-SLIPPING HEEL

TILTED HEEL TO IMPROVE THE WALKING

ANTISHOCK




IMPROVES POSTURE AND BALANCE

LESS STRESS ON KNEE JOINTS

STIMULATES THE ARCH, PROMOTING BLOOD CIRCULATION

LESS STRESS ON ANKLE JOINTS



SRC ANTI-SLIPPING SOLE

extra LIGHT shoes

ANTISTATIC PU/PU DOUBLE DENSITY SOLE



NO METAL

ERGO SAFE



FIJI S1P
36-47

ER093NV
 CLASS 3



HAWAII S1P
36-47

ER125K
 CLASS 3
 HIGH VISIBILITY



HAITI S1P
36-47

71N93C
 CLASS 3



SPIRIT S3
36-47

73Q25C
 CLASS 3
 HIGH VISIBILITY



EMMEN S1P
39-47

ER062HA
 CLASS 3
 HIGH VISIBILITY



WITTEN S1P
39-47

ER062NR
 CLASS 3



SPORT S3
36-47

73N25C
 CLASS 3
 HIGH VISIBILITY



GYM S3
36-47

73N37C
 CLASS 3
 HIGH VISIBILITY



FASHION S3
39-47

73R37C
 CLASS 3
 HIGH VISIBILITY



SANTA FE S1P
36-47

71T83C
 CLASS 3



SOCCER S3
36-47

ER025T
 CLASS 3
HIGH VISIBILITY



VOLLEYBALL S3
39-47

ER037T
 CLASS 3
HIGH VISIBILITY



LIMA S1P
36-47

71T95C
 CLASS 3



FLASH S1P
36-47

ER064D
 CLASS 3
HIGH VISIBILITY



AIR S1P
39-47

ER064Q
 CLASS 3
HIGH VISIBILITY



LEEDS S3
36-47

73D61C
 HIGH VISIBILITY



ARENDA S2
36-47

72002
 MICROWASH
CLASS 3





BERGEN S2
36-47

72102
 MICROWASH
CLASS 3



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



SRC
ANTI-SLIPPING SOLE

SRC ANTI-SLIPPING SOLE

ANTI-SLIPPING HEEL

ANTISHOCK



BOSTON S3 RD051L
39-47
CLASS 3 HIGH VISIBILITY



SEATTLE S3 CI RD087L
39-47
CLASS 3 HIGH VISIBILITY CI - 17°C



CANYON S3 CI RD087T
39-47
CLASS 3 CI - 17°C





ORLANDO S3 CI RD017L
39-47
MEMBRANE CI - 17°C



CHICAGO S3 CI RD089L
39-47
CLASS 3 CI - 17°C



GULF S3 RD011A
39-47



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



PALMA S1P T0141T
39-47
HIGH VISIBILITY



MALAGA S3 T0061D
39-47
HIGH VISIBILITY



GRANADA S3 T0068D
39-47
HIGH VISIBILITY



PORTO S3 T0162V
39-47
CLASS 3 HIGH VISIBILITY



BILBAO S3 T0167V
39-47
CLASS 3 HIGH VISIBILITY



KOLN S3 CI WR T0058L
39-47
HIGH VISIBILITY MEMBRANE CI - 17°C WR ANTI TORSION



ESSEN S3 CI T0165N
39-47
HIGH VISIBILITY MEMBRANE CI - 17°C ANTI TORSION



HANNOVER S3 CI WR T0169N
39-47
HIGH VISIBILITY MEMBRANE CI - 17°C WR ANTI TORSION



UTRECHT S3 CI WR T0259L
39-47
HIGH VISIBILITY MEMBRANE CI - 17°C WR ANTI TORSION



BERLIN S3
39-47

T0065N



BAYERN S3
39-47

T0069N




ALASKA S3 CI WR T0084B
39-47




ONTARIO S3 CI T0011B
39-47




TITAN S3 T0011G
39-47



PERFECT GRIP



ANTISTATIC PU/PU
DOUBLE DENSITY SOLE



SRC
ANTI-SLIPPING SOLE

extra
LIGHT
shoes



AGADIR S1P AC083V
39-47



TIGRE S1P AC055Q
39-47

 CLASS 3



TIBET S1P AC072H
39-47

 CLASS 3




MISTRAL S3 CI AC056T
39-47

 CLASS 3  MEMBRANE  CI - 17°C



BREMEN S3 CI AC051L
36-47

 HIGH VISIBILITY  CI - 17°C



HAMBURG S3 CI WR AC058L
36-49

 HIGH VISIBILITY  MEMBRANE  CI - 17°C  WR



SALVADOR S3 AC003D
39-47

 CLASS 3



CUBA S3 AC049D
36-47

 CLASS 3



BELIZE S3 AC003N
39-47

 CLASS 3  HIGH VISIBILITY



HONDURAS S3 AC049N
39-47

 CLASS 3  HIGH VISIBILITY



DALLAS S3 CI WR AC053N
39-47

 CLASS 3  HIGH VISIBILITY  MEMBRANE  CI - 17°C  WR



DENVER S3 CI WR AC057N
39-47

 CLASS 3  HIGH VISIBILITY  MEMBRANE  CI - 17°C  WR




SAHARA S1
AC082T
36-47

SAHARA S1P
AC082TP
36-47



KENT S3
36-47

AC061D



CAMBRIDGE S3
36-47

AC068D



MOZART S2
AC810B
36-47

MOZART S3
AC810BP
36-49



VERDI S2
AC880B
36-47



VERDI S3
AC880BP
36-49




VERDI S3 R
39-47

AC880BRP



VIVALDI S3
39-47

AC888B




SOLDADOR S3
39-47

AC880BSP



IRON RM S3
39-47

AC068DRM





HRO 300°C SOLE



-35°C SOLE




HEAT INSULATION HI



FOR MECHANICAL WORKERS



ANTISTATIC PU
RUBBER SOLE



SRC
ANTI-SLIPPING SOLE


PERFECT GRIP



GENK S3 CI HI HRO
HR051L
38-47



KIEL S3 CI HI WR HRO
HR058L
38-48




ALPI S3 CI HI WR HRO
HR058G
38-47




POMPEI S3 CI HI HRO
HR078N
39-47



VULCANO S3 CI HI WR HRO
HR053N
39-47



ETNA S3 CI HI WR HRO
HR057N
39-47



ERCOLANO S3 HI HRO
HR066D
39-47



BONN S3 CI HI HRO
HR054L
39-47




GERA S3 CI HI WR HRO
HR059L
39-47





MONTANA S3 CI HI WR HRO
HR096L
39-47



CLASSE 2
24 m/s


WOODCUT S3 CI HI WR HRO SRC
53L97C
39-47



WINTER S3 CI HI WR HRO
HR011L
39-47



GRIP S3 CI HI WR HRO
HR099L
39-47



C.S.A. Z195-14 

HARD ROCK INSULATING line exceeds requirements fixed from the Canadian norm CSA for electrical resistance. Determination of Electric Shock Resistance to a potential of **20.000 V, 60 HZ, FOR A PERIOD OF 1 MIN**

INSULATING SOLE 

from > 1000 MΩ

The bottom of the shoe, within some limits (no humidity, it does not concern the upper), offers electrical resistance against tension up to 1.000V - M Ω > 1.000



ASTM 2413 - 11 

HARD ROCK INSULATING line exceeds requirements electrical resistance (EH) in accordance with ASTM 2413 - 11 electric hazard - Voltage: **20.000 V** / 60 Hz - duration: 1 min. - requirement of the electrical flow lower than 1.0 mA.



VOLT SB FO E P HRO
HRD055H
39-47



HERTZ SB FO E P HRO
HRD124K
39-47



AMPERE SB FO E P WRU HRO
HRD037T
39-47




FRANKLIN SB FO E P WRU HRO
HRD052T
38-47



EDISON SB FO E P CI HI WRU HRO
HRD060D
38-47



TESLA SB FO E P CI HI WRU HRO
HRD057E
39-47





MARTE GI S5
39-46



MARTE V S5
39-46



PESCI
39-47



GIOVE P S4
39-46





SARA
35-46

COLOURS:


- 35/36
- 37/38
- 39/40
- 41/42
- 43/44
- 45/46



MARY
36-46



LUNA




COLOURS:

- 35/36
- 37/38
- 39/40
- 41/42
- 43/44
- 45/46




NEVE



- 35/36
- 37/38
- 39/40
- 41/42
- 43/44
- 45/46



SOLE





CLASS 3
XL
Mondo point 11

1000
36-49



CLASS 3
XL
Mondo point 11

2000
36-47



CLASS 3
M
Mondo point 9
Bloom

3000
36-41



CLASS 3
XL
Mondo point 11

4000
35-47



CLASS 3
XL
Mondo point 11

5000
36-47



CLASS 3
XL
Mondo point 11

6000
37-47




CLASS 3
XXL
Mondo point 12
24 HOURS

8000
39-48



XL
Mondo point 11

9000
36-47



39/40
41
42
43
44/45
46/47

AX



GA509-10
CM 63X36X34



GA514-10
110 cm

GA513-10
90 cm



GA600
80 cm



S M
L XL

GS18-13
ANKLE



S M
L XL

GS07-20
ANKLE

WINTER



S M
L XL

GS00-12
CALF



GIASCO BAG
cm 50x300



DISPLAY
cm 45x33



GA539-07
H cm 230



GIASCO PEN



STICKER
cm 29x15,5



WINDOW STICKER
cm 50x23



POSTER
cm 72x170



MOUSE PAD
cm 15x20



GIASCO

ITALY

